


KNAPHEIDE LANDSCAPER BODIES





PLATFORM UNDERSTRUCTURE

All platform bodies are constructed with structural long sill and cross sill understructure.

*Not shown - All bodies are undercoated to provide an extra layer or protection.

LANDSCAPER BODIES

The function and versatility of the Knapheide Landscaper Body is specifically designed for the needs of the landscape contractor. Built with the quality and strength of a Knapheide Platform Body, the versatile Landscaper Body has everything you need to get the job done.

POPULAR VOCATIONS



2

A. SIDE ACCESS DOOR

on curb side has 50" wide opening for pallets, balled trees, shrubs, bagged materials, etc. Side access door can be locked in the open position

B. STEP AND GRAB HANDLE

for the side access door for easy access to the cargo area

C. BOLT-ON, REINFORCED BULKHEAD PRE-PUNCHED

to accept optional cab guard and tarp options

D. SWING-OUT REAR GATES

with heavy duty hinges swing 270 degrees. Lockable in the open position

E. REAR GATES

are punched for proper airflow

F. HEAVY-DUTY CAM LOCK

on rear gates for load security and long-term durability

G. 40" TALL SIDES PANELS

are constructed of 14-gauge steel and reinforced by 13-gauge steel stakes. Side panels include tarp tie-down rail

H. LED CLEARANCE AND MARKER LIGHTS

meet FMVSS 108 requirements





MODEL OPTIONS

CHASSIS	LANDSCAPER MODEL	NOMINAL BODY LENGTH	STORAGE PACK OPTION	NOMINAL PACK LENGTH	BODY WEIGHT	CAPACITY*	RECOMMENDED SUBFRAME HOIST	HOIST WEIGHT	CONFIGURATION HOIST CAPACITY
60" CA Dual Rear Wheel	PLB-09-B	9,	N/A	N/A	1,703 lb.	8.8 cu. yd.	KHA-1516SF-ED	550 lb.	8.6 tons
84" CA Dual Rear Wheel	PLB-09-B	9'	KPLS-942463A	24"	1,703 lb.	8.8 cu. yd.	KHA-1516SF-ED	550 lb.	8.6 tons
84" CA Dual Rear Wheel	PLB-11-B	11'	N/A	N/A	1,966 lb.	10.2 cu. yd.	KHA-1520SF-ED	580 lb.	8.6 tons
84" CA Dual Rear Wheel	PLB-12-B	12'	N/A	N/A	2,106 lb.	11.6 cu. yd.	KHA-1520SF-ED	580 lb.	9.6 tons
108" CA Dual Rear Wheel	PLB-11-B	11'	KPLS-942463A	24"	1,966 lb.	10.2 cu. yd.	KHA-1520SF-ED	580 lb.	8.6 tons
108" CA Dual Rear Wheel	PLB-12-B	12'	KPLS-942463A	24"	2,106 lb.	11.6 cu. yd.	KHA-1520SF-ED	580 lb.	7.9 tons

*Cubic yard capacity based on a water level non-diminishing load, as the hoist must raise both the body and the commodities. Check the commodity material weights in the NTEA Truck Equipment Handbook to eliminate overloading of the hoist and the GVWR and GAWR of the chassis. Contact your Knapheide distributor for additional assistance.

FEATURES NOT SHOWN

CLEARANCE LIGHTS WITH AUTOMOTIVE WIRE HARNESS

provide trouble free service

FLOOR ASSEMBLY -

10-gauge high strength steel floor plate with 10-gauge formed cross sills and 5" structural long sills

WATER-BASED UNDERCOATING

on underside of platform

ELECTRODEPOSITION PRIME-PAINT SYSTEM

provides superior corrosion resistance

- All Hoist and Landscaper Body combinations are set at 50 degree dump angle
- Landscaper Hoists are Double Acting, power up and power down
- ED = 12 Volt electric pump with pendent switch control



POPULAR OPTIONS



COMBINATION CLASS V HITCH AND ICC BUMPER



PULL TARP SYSTEM



42" CAB PROTECTOR WITH 4 TIE DOWNS



REAR CARGO GATES WITH TAILGATE



REAR CARGO GATES WITH TAILGATE AND METERING CHUTE

KNAPHEIDE SUBFRAME HOISTS FOR LANDSCAPER BODIES



- Double acting power up power down for total load control
- Body Brace ensures operator safety while servicing the hoist
- Rugged steel lift arm construction provides stable lifting capacity
- Landscaper Hoist set at a 50 degree dump angle
- KHA-1516SF-ED is a NTEA Class 20 for 9' Bodies
- KHA-1520SF-ED is a NTEA Class 40 for 11' and 12' Bodies
- Accommodate all domestic 34" chassis frame widths
- Rear Hinge mounts on top of the chassis after frame

 $oldsymbol{6}$



POPULAR OPTIONS

KNAPPACKS - LANDSCAPER STORAGE PACKS

Secure storage for hand tools, chain saws, string trimmers and supplies.

- 63" Tall Model KPLS-942463A for Class III, IV and V chassis 84" CA and longer Ford, GM and Ram
- 70" Tall Model KPLS-942470A for all GM 2019 and later. C45/55/6500 and Navistar CV
- 73" Tall Model KPLS-942473A for Class V and VI chassis 84" CA and longer with taller cabs



STREET SIDE

 Street side - personal storage compartment (24"W X 20"D X 63"H or 73"H) with four combination stationary/ swivel hooks with 3 point lockable compartment door

CURB SIDE

- Curb side tool storage compartment (24"Wx74"Dx63"H or 70"H or 73"H. 63" has 2 shelves and both 70"H and 73"H have 3 shelves) and a pull out bin
- Pull Out Bin extends 48" with punched sides and floor for easy clean out (19.5"W X 71"D X 10"H) with three point lockable compartment door

9



THREE YEAR, LIMITED TIME WARRANTY



NO RUST THROUGH



FREE FROM DEFECTS IN WORKMANSHIP



FREE FROM DEFECTS IN MATERIALS

TO LEARN MORE VISIT

www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com